



सत्यमेव जयते

भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय-भारत सरकार)
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution-Govt. of India)

• PAN No. : AAAEB0431G • GSTIN : 24AAAEB0431G1ZH

एफ. पी. नं. 364 /P, बोर्ड नं. 13, F.P. No. 364 / P. Ward No. 13, क्रिस्टल मॉल के सामने, Opp. Crystal Mall, भारत पेट्रोल पंप के पास, Near Bharat Petrol Pump, कालावाड़ रोड, Kalawad Road, राजकोट - 360 005. (गुजरात) Rajkot - 360 005. (Gujarat) दूरभाष /Tel. : 0281-2563981/2563982/2563983/2563978 ई-मेल /e-mail : rjbo@bis.gov.in वेबसाइट / Website : www.bis.gov.in

राजकोट शाखा कार्यालय / Rajkot Branch Office :

Speed Post

Our Ref: 7600144716

Dated: 10/02/2021

Subject: Grant of BIS Product Certification Licence No. - 7600144716 as per IS 9537: Part 3: 1983

M/s TRIDENT EXTRUSIONS LLP
PLOT 65, 166/P, HARIOM INDUSTRIAL AREA,
KOTHARIYA, DISTRICT:RAJKOT,
GUJARAT- 360022

Dear Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product: **Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS: 2509)**

IS No: **IS 9537: Part 3: 1983**

Type/Size/Grade/Variety:

Conduits for Electrical Installation-Rigid Plain Conduits of Insulating Material , Light Mechanical stress- Nominal sizes 32mm, 40mm, 50mm Medium mechanical stress- Nominal sizes 16mm, 20mm, 25mm, 32mm, 40mm, 50mm Heavy Mechanical stress- 16mm, 20mm, 25mm, 32mm, 40mm, 50mm Type of end connection- Plain End/ Socket end

The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this Licence is CM/L-7600144716 which has been made operative from 03.02.2021 and is valid up to 02.02.2022 the licence number shall invariably be referred to in your future correspondence.

According to Sub-Paragraph (1) & (3) of Paragraph 5 of Scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs.1000.00 and the marking fee for use of Standard Mark as per Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you with effect from 03.02.2021 for the period of validity of the licence in advance.

3. Minimum Marking fee stipulated in Annexure-I of Scheme-I of BIS (Conformity Assessment) Regulations, 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark. Our Receipt No. 0076PC2020002349 dated 05.01.2021 for the licence fee and the minimum marking fee for the first operative period is already enclosed.

Page 1 of 2

मुख्यालय / Headquarter : मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002. Manak Bhavan 9, Bahadur Shah Zafar Marg, New Delhi - 110002.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.
5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
6. The Scheme of Inspection and Testing (SIT) submitted by you and agreed by BIS or the Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
9. This licence is granted for your manufacturing premises situated PLOT 65, 166/P, HARIOM INDUSTRIAL AREA, KOTHARIYA, DISTRICT: RAJKOT, GUJARAT- 360022 Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.
10. It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on 21.01.2021 by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

Thanking you,

Yours faithfully,


10/02/2021
(S.D.RANE)

SCIENTIST-E & HEAD

Encl: As above

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

अनुज्ञप्ति सं. सीएम/एल- 7600144716
Licence No. CM/L – 7600144716

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स ट्राईडेंट एक्सट्रूशन्स एलएलपी

प्लॉट नं 65, 166/पी, हरिओम इंडस्ट्रीयल एरिया,
कोठारिया, जिला : राजकोट, गुजरात - 360022

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्सों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्सों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय - समय पर संशोधित अथवा पुनरीक्षित / संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार / अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/s TRIDENT EXTRUSIONS LLP
PLOT NO. 65, 166/P, HARIOM INDUSTRIAL AREA,
KOTHARIYA, DISTRICT: RAJKOT,
GUJARAT - 360022

(hereinafter called the Licensee) this Licence to use the Standard Mark set out in the first column of the First Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध की शर्तें जो संलग्न अनुलग्नक में दी गई हैं, के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति पहली अनुसूची में यथा - उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।


2. This Licence carries obligations on part of the licensee as conditions of licence, which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in this schedule and may be renewed as prescribed in the scheme I.

अनुसूची SCHEDULE

(अनुज्ञप्ति सं. सी एम/एल-7600144716)


(Licence No. CM/L -7600144716)

नाम : मैसर्स ट्राईडेंट एक्सट्रूशन्स एलएलपी
Name : M/s TRIDENT EXTRUSIONS LLP
कारखाने का पता : प्लॉट 65,166/पी, हरिओम इंडस्ट्रीयल एरिया, कोठारिया, कोठारिया, जिला :
राजकोट, गुजरात - 360022
Factory Address : PLOT 65, 166/P, HARIOM INDUSTRIAL AREA, KOTHARIYA,
DISTRICT : RAJKOT, GUJARAT - 360022
विधिमान्यता : तीन फरवरी दो हजार एकवीस से दो फरवरी दो हजार बाईस तक
Validity : Third February Two Thousand Twenty One to Second February Two
Thousand Twenty Two.

Standard Mark	Indian Standard	Scope of Licence	Marking Fee
(1)	(2)	(3)	(4)
<p>IS 9537</p>  <p>Part:3 CM/L-7600144716</p>	<p>भा.मा.9537:Part 3: 1983</p> <p>IS 9537 : Part 3: 1983</p>	<p>इलेक्ट्रिकल इंस्टॉलेशन के लिए कंडयूट्स - इंसुलेटिंग सामग्री के कंडयूट्स, टाइप: लाइट मैकेनिकल स्ट्रेस - सामान्य साइज: 32 mm, 40 mm, 50 mm, मिडियम मैकेनिकल स्ट्रेस - सामान्य साइज: 16 mm, 20 mm, 25 mm, 32 mm, 40mm 50mm हैवी मैकेनिकल स्ट्रेस - 16mm, 20mm, 25mm, 32mm, 40mm, 50mm अन्त कनेक्शन का प्रकार प्लेन एन्ड / सॉकेट एन्ड</p> <p>Conduits for Electrical Installation-Rigid Plain Conduits of Insulating Material, Light Mechanical stress- Nominal sizes 32mm, 40mm, 50mm Medium mechanical stress- Nominal sizes 16mm, 20mm, 25mm. 32mm, 40mm, 50mm Heavy Mechanical stress- 16mm, 20mm, 25mm, 32mm, 40mm, 50mm Type of end connection- Plain End/ Socket end</p>	<p>रुपये 2.2 प्रति इकाई सभी इकाईयों के लिए एक वर्ष की प्रचालन अवधि के लिए न्यूनतम मुहरांकन शुल्क रुपये 41000.00</p> <p>इकाई: 100 मीटर</p> <p>एक प्रचालन वर्ष के लिए न्यूनतम चिन्हांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी</p> <p>Rs.2.2 per unit for all the units with a minimum marking fee of Rs. 41000/- during an operative period of one year.</p> <p>Unit – 100 METER</p> <p>Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)</p>

आज वर्ष दो हजार इक्कीस के फरवरी माह के 10^{वें}
Signed, Sealed and Dated this 10th day of February

दिन हस्ताक्षरित मुद्रांकित किया गया।
Month of Year Two Thousand Twenty One
भारतीय मानक ब्यूरो के लिए
For BUREAU OF INDIAN STANDARDS


10/02/2021

प्रमुख (राजकोट शाखा कार्यालय)
Head (Rajkot Branch Office)



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

(Rajkot Branch Office)

Address: F P No. 364/P, Ward no. 13,
Opposite Crystal Mall,
Next to B.P Petrol Pump,
Kalawad Road,
Rajkot-360005
Phones : 0281-2563981/82/83
E-Mail: rjbo@bis.gov.in
web : <http://www.bis.gov.in>

Our Ref : 7600144716

Dated: 10/02/2021

M/s TRIDENT EXTRUSIONS LLP
PLOT 65, 166/P.HARIOM INDUSTRIAL AREA,
KOTHARIYA, DISTRICT:RAJKOT,
GUJARAT- 360022

Subject: Advertisement to be issued by the new licensee

Dear Sir/Madam

By obtaining the BIS Certification Marking Licence you have joined the large family of licencees operating the BIS Certification Marking Scheme.

As you are no doubt aware that the consumers are anxiously looking for products conforming to the standards and they would be interested to know the BIS Licencees. It is, therefore, necessary that the fact that your product has been covered under a BIS licence should be made known far and wide and for this purpose we should suggest that you advertise this fact in the newspapers giving this information and details of your product for which the licence has been granted. To create a better image in consumer's mind, the standard mark which has been granted may also be displayed in the advertisements in regional newspapers to obtain better coverage.

You may also consider having additional publicity through other media such as radio or TV.

We do hope that you would implement the above suggestions and we would request you to send us the text of your advertisement for our approval together with entire advertisement/publicity program for the year.

Thanking you,

Yours faithfully,


10/02/2021
(S.D.RANE)
SCIENTIST E & HEAD

ANNEX - 6

(Clause 2.9.3)

RESPONSIBILITIES OF BIS LICENSEES

General

1. NOMINATE responsible person(s) to deal with all matters concerning BIS Certification.
2. FAMILIARIZE Top Management and Quality Assurance personnel with the provisions of the BIS Act, BIS Rules and BIS (Certification) Regulations as amended from time to time.
3. PAY minimum marking fee in advance. If not received in time, your license may expire.
4. SUPPLY one copy each of the upto date Indian Standard(s) and the Scheme of Testing and Inspection attached to your licence to all concerned speciality to the personnel of Quality Control Department, DO NOT reprint Indian Standards. This is not permitted and is a violation of the Copyright Act.
5. OBTAIN Prior Permission of Excise / Bank authorities (where necessary) so that the sample(s) can be made available to BIS as and when necessary. INFORM BIS in case of difficulties, if any.
6. SUBMIT statement of quantity produced and marked by 31st July and 31st January for the preceding six months.
7. INFORM BIS IMMEDIATELY if there are any changes in the name of organization, status, factory premises, management, process, design and brand names on which you are applying Standard Mark await verification / permission from BIS.
8. Apply for renewal (along with the licence and fees) one month in advance of the expiry date of the validity period of your licence. While applying, full details should be given in 'Performance Sheet' enclosed with the application form.
9. COMPLY with all instructions of BIS immediately, specially when a licence is under stop marking or is cancelled / deferred / expired; otherwise you will attract legal action(s) as per the BIS Act.
10. GET prior approval from BIS OF the design, proportions and manner of applying the Standard Mark, SEEK assistance of BIS, as and when necessary, INFORM BIS when initiate marking for the FIRST time.

11. INFORM BIS when you stop production, and stop / resume marking, INDICATE stock of ISI marked goods at the time of stopping production / marking.
12. APPLY Standard mark only on those varieties and batches/lots of production which confirm to the relevant Indian Standard and for which you hold a valid licence.
13. DO NOT APPLY Standard Mark on products produced on behalf of other agencies, unless prior permission has been obtained from BIS, ALSO DO NOT APPLY Standard Mark on products produced on your behalf by other agencies.
14. DO NOT APPLY Standard Mark on material produced prior to grant of licence.
15. MAINTAIN records of inspection and testing indicated in the Scheme of Testing and Inspection (STI) attached to your licence.
16. EXTEND all possible co-operation to the BIS Technical Auditor in checking your production line records, testing in your factory premises and drawal of samples for independent testing.
17. ARRANGE the presence of concerned personnel and keys of laboratory, godown etc. (if not available) soon after the arrival of the BIS Technical Auditor.
18. GET test equipment calibrated periodically and maintain records for the same.
19. INFORM BIS about all the changes in your Quality Control Department, SEEK assistance to BIS in training your testing personnel if necessary.
20. DO NOT test counter sample sealed by the BIS Technical Auditor without prior permission of BIS.
21. PACK the sample(s) drawn by BIS Technical Auditor properly to avoid damage during transit and ENSURE that BIS Inspecting Officer's seal is intact.
22. DESPATCH the sample(s) expeditiously to the Laboratory as instructed by the BIS Technical Auditor with advice to the concerned Regional Office / Branch Office of BIS. Alternatively hand over the sample to the courier appointed by BIS for transporting the sample.
23. NOTE that action may be taken against you in case BIS. Technical Auditor is not able to carry out inspection at the time of his normal visit (see 5, 11, 16 and 17).
24. Copy of the STI in force should be available in the laboratory.

Bureau of Indian Standards
(Under Ministry of Consumer Affairs, Food & Public Distribution,
Government of India)

Terms & Conditions of the Licence to use or apply the Standard Mark
As per

The Bureau of Indian Standards (Conformity Assessment) Regulations, 2018

- 1) The design of Standard Mark shall be identical to the facsimile given along with the licence.
- 2) The Photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
- 3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
- 4) The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non-conforming or outside the scope of the licence.
- 5) If the goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall the non-conforming goods and articles.
- 6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, as the case may be, and after expiry or cancellation of the licence.
- 7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
- 8) The licensee shall maintain records as specified by the Bureau from time to time.
- 9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit or evaluation, as applicable, at its premises.
- 10) The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
- 11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
- 12) The licence shall not be transferred or any person without the prior approval of the Bureau.
- 13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative, as the case may be, to repair or replace or reprocess the standard marked goods and articles.
- 14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of thirty days to the licensee.

GENERAL INSTRUCTIONS ON SIZES OF ISI MONOGRAM TO BE USED BY LICENSEES UNDER ISI CERTIFICATION MARKS SCHEME

Refer to the Standard Mark indicated in your licence. Regarding size please note that:

- Photographic reduction in any size of Figure 1 is permissible, and
- Preferred dimensions as given in Table 1 be used as far as possible.




FIG. 1

TABLE 1 PREFERRED DIMENSIONS OF ISI MONOGRAM

All dimensions in millimetres

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm